# ılıılı cısco

# **Cisco Webex Board**

# Cisco Webex Board 55

The Cisco Webex<sup>™</sup> Board is an all-in-one device that provides everything you need to collaborate with your teams in physical meeting rooms. You can wirelessly present, white board, and have video and audio calls. And it securely connects to your virtual teams through the Cisco Webex service, via your Cisco Webex Teams appenabled devices, so you can take your meetings and content on the road.

Figure 1. White Boarding Capability on the Cisco Webex Board 55



# **Cisco Webex Board Product Overview**

The Cisco Webex Board revolutionizes the way we work by combining key requirements for team collaboration in the physical meeting room into a single device and connects it to the cloud for continuous workflow. It's a wireless presentation screen, a digital whiteboard, and an audio and video conferencing system, all in one. The Webex Board helps teams collaborate in physical meeting rooms, but also securely connects to virtual meeting spaces to facilitate continuous workflow before, during, and after everyone has left the physical conference room. The Cisco Webex Board draws its power from the Cisco Webex service, which combines meeting, messaging, calling, and new white boarding capabilities on any Webex Teams app-enabled device. Registration to the Cisco Webex in the cloud lets you store everything created on the Webex Board directly in the cloud and associate it to a virtual Webex Teams space, so you can take your work wherever you go. The Webex Board solution offers an integrated, secure, and comprehensive lifecycle approach to teamwork that is as yet unimagined, and thus unmatched, by any other solution on the market.

The Cisco Webex Board 55 is a fully self-contained system on a high-resolution 4K 55-inch LED screen. With an integrated 4K camera, embedded microphones, and a capacitive touch interface, the board brings intelligence, style, and usability to meeting rooms, from small to large. Designed with minimal wires for simplicity and elegance, Cisco's latest collaboration device allows wireless sharing and Wi-Fi connectivity. The system is also touch-based for easy and rich team collaboration. Not only is the Webex Board beautiful to behold and effortless to use, it is also affordable to acquire and easy to install and deploy, so that it can be a fixture in all of your conference rooms.

The Webex Board is the latest addition to the portfolio of Cisco video and audio conferencing devices that register to Cisco Webex, including the Cisco  $\underline{MX}$  and  $\underline{SX}$  Series, the Cisco Webex  $\underline{DX}$ 80, the Cisco IP Phone  $\underline{7800}$  and  $\underline{8800}$  Series, and the Cisco Webex Room Series.

Figure 2. Video Conferencing on the Cisco Webex Board



# **Cisco Webex Board Features and Benefits**

| Feature                  | Benefit   |
|--------------------------|---|
| Wireless presentation    | No wires required to share a presentation, locally or remotely, from a laptop (HDMI available)  |
| Digital whiteboard       | <ul> <li>Easily white board with the Cisco Webex Pen or your finger on the Cisco Webex Board and automatically save content to a Cisco Webex Teams space</li> <li>Connects to white-boarding capability on any Webex Teams app</li> <li>Annotate on screen share</li> </ul>   |
| Audio/video conferencing | <ul> <li>High-quality video conferencing (Cisco Webex and Session Initiation Protocol [SIP])</li> <li>High-fidelity audio conferencing</li> </ul>   |
| Industrial design        | <ul> <li>Discreet built-in 4K camera is unintimidating, to help users feel comfortable when close to the screen</li> <li>Built-in microphones and wireless sharing add to the clean, no-wire aesthetics</li> <li>Fixed-lens camera uses an 86-degree-wide field of view to capture virtually the entire room</li> <li>High-resolution 4K screen shows detailed content beautifully</li> </ul> |
| Usability                | <ul> <li>Easy-to-understand activity circles correspond to the basic activities and workflows that users need to get<br/>their work done</li> </ul>   |
|                          | <ul> <li>Intuitive navigation, such as a home button and touchscreen, is a staple of mobile devices and familiar to<br/>users</li> </ul>  |
|                          | Consistent user interface and workflow across the Webex Board and Webex Teams app reduce the user's learning curve  |
|                          | • Familiar capacitive touch capability is the same as on smartphones and tablets, and allows for two-point multi-touch, which lets two people work on the board at the same time  |

| Feature               | Benefit  |
|-----------------------|--|
| Continuous workflow   | Cloud registration lets everything created on the Webex Board be stored directly and securely in the cloud and associated to a virtual Webex Teams space   |
|                       | <ul> <li>Team members can pick up wherever they left off on the Webex Board when they leave the physical room;<br/>work can continue from a different location, time zone, or device, such as another Webex Board or any<br/>other Webex Teams app on smartphones, tablets, and laptops</li> </ul> |
|                       | Webex Board and the Cisco Webex service together provide end-to-end encryption, so your communications and content are secure  |
| Intelligent views     | Powerful 4K camera captures high-resolution image of virtually the entire room   |
|                       | Intelligent software algorithms enable automatic framing for best overview, which provides ideal framing to the far end  |
| Intelligent audio     | <ul> <li>Built-in 12-microphone array amplifies sound quality – as if a microphone has been extended to each<br/>speaker</li> </ul>  |
|                       | <ul> <li>Automatically modulates the active speaker so that clear audio is delivered to the far end, whether the<br/>speaker is close to or far away from the Webex Board</li> </ul>   |
|                       | No microphone wires to detract from the aesthetics of the Webex Board  |
|                       | Powerful microphones cover a room with 8 to 10 people  |
| Intelligent Proximity | Cisco Webex Proximity and ultrasound pairing technology enable the following:  |
|                       | Webex Board automatically wakes up when it detects a Webex Teams user enter the room and suggests     an activity to choose from   |
|                       | <ul> <li>Wireless sharing of documents from a laptop is enabled both within and outside of a conference call;<br/>connect seamlessly to personal and mobile devices using ultrasound (no need for dongles, adapters, typing<br/>in PINs, etc.)</li> </ul>  |
|                       | Basic endpoint control of the Webex Board can be done through the Webex Teams app device (make and disconnect calls, etc.)   |

# Cisco Webex Board Prominent Features/Differentiators

# The Power of Cisco Webex Enables Continuous Teamwork

The Cisco Webex Board is revolutionary in its capability, usability, and design, but the ability to connect teams beyond the physical meeting room is thanks to the power of Cisco Webex. The consistency, simplicity, and reliability of experience across the Webex Board and the Webex Teams app is made possible by these key features of Cisco Webex:

- Cloud based: The Webex Board is registered and delivered simply and securely with end-to-end encryption to the cloud and offered on a subscription basis, so you can add or update services automatically or on demand.
- App based: Once they are shared or created on the Webex Board and associated with a Webex Teams virtual space, content and messages live persistently and can be accessed from any mobile device laptop, smartphone, tablet on the Webex Teams app from wherever you are. This means work and knowledge can be transferred seamlessly from one team member to the next, from one time zone to another.
- Activity based: The capabilities you enjoy on the Webex Board meeting, calling, messaging, and white boarding are the same capabilities you will experience on the Webex Teams app. So, you can start your work on the Webex Board and continue on your personal and mobile devices, or vice versa.

| Product Family    | Platforms Supported  |
|-------------------|--|
| Cisco Webex Board | Requires activation and connection to Cisco Webex in the cloud |

### **Cisco Webex Board Platform Support**

# Cisco Webex Board Subscription

| License Level                            | Term   |
|--|--|
| Cisco Webex Board Device<br>Subscription | Monthly or 1-, 2-, 3-, 4-, or 5-year options |

# Cisco Webex Board 55 Product Specifications

| Туре                               | Specifications   |
|------------------------------------|--|
| Software                           | Cisco Webex Board OS, provisioned by the Cisco Webex in the cloud  |
| Components                         | Fully integrated unit is delivered with:<br>• Multi-touch 55-inch LED display<br>• 4K camera<br>• 12-microphone array<br>• Speakers<br>• White boarding pen  |
| Display                            | <ul> <li>Edge LED LCD – 55-inch 4K, 350 nits, 16:9</li> <li>Viewing angle: +- 89 degrees (all directions)</li> <li>Number of colors: 1.07 billion (10 bit)</li> <li>Contrast: 1:4000</li> <li>Response time: 5.5 ms</li> </ul>   |
| User interface                     | <ul> <li>Capacitive touch</li> <li>Protective glass with optical bonding</li> <li>Multi-touch</li> </ul>   |
| Inputs and outputs                 | <ul> <li>HDMI input</li> <li>Home button</li> <li>3.5-mm mini jack audio out (line out)</li> <li>Two USB 3.0 (for serviceability)</li> </ul>   |
| Camera overview                    | <ul> <li>Fixed lens, infinite focus</li> <li>F-value: 2.8</li> <li>4Kp60</li> <li>Horizontal Field Of View (HFOV): 83 degrees</li> <li>Vertical Field Of View (VFOV): 55 degrees</li> <li>Camera mounted tilted: -25 degrees</li> </ul>  |
| Audio system                       | <ul><li>12-element microphone array (with intelligent voice tracking)</li><li>Integrated voice-optimized speakers</li></ul>  |
| Network                            | <ul> <li>Ethernet (RJ-45) 100/1000 Mbps</li> <li>Wi-Fi 802.11a/b/g/n; 802.11ac (2.4 and 5 GHz)</li> <li>Bluetooth ready</li> <li>IPv4 Dynamic Host Configuration Protocol (DHCP)/static</li> <li>Network Time Protocol (NTP)</li> <li>HTTP Proxy support (for signaling, not media)</li> </ul> |
| User controls                      | Control Cisco Webex Board directly from the touchscreen or using the Cisco Webex Teams app   |
| Language support                   | <ul> <li>English, Spanish, German, French, French Canadian, Portuguese, Japanese, Czech, Danish, Dutch, Norwegian, Swedish, Latin American Spanish, Italian, Finnish, Polish, Turkish</li> <li>Additional languages to be supported in future software release</li> </ul>                      |
| Physical dimensions<br>(H x W x D) | • 32 x 50 x 1.9 in   |
| Weight                             | • 87.7 lb (39.8 kg)  |

| Туре                                  | Specifications  |
|---------------------------------------|---|
| Physical dimensions and               | Main unit   |
| weight of packaging                   | <ul> <li>Package size: 36.2 x 55.7 x 7.5 in (919 x 1416 x 191 mm)</li> </ul>  |
| (H x W x D)                           | • Weight: 88 lb (39.8 kg)   |
|                                       | <ul> <li>Shipping weight (including packaging): 101 lb (45.8 kg)</li> </ul>   |
|                                       | Floor Stand (New Design)  |
|                                       |   |
|                                       | • Package size: 40.7 x 56.1 x 6.8 in (1034 x 1426 x 172 mm)   |
|                                       | Weight: 34.8 lb (15.8 kg)   |
|                                       | Shipping weight (including packaging): 48.3 lb (21.9 kg)  |
|                                       | Wall Stand (New Design)   |
|                                       | • Package size: 36.8 x 51.6 x 4.7 in (934 x 1311 x 119 mm)  |
|                                       | • Weight: 30.9 lb (14 kg)   |
|                                       | Shipping weight: 30.8 lb (14 kg)  |
|                                       | Wall Mount Kit  |
|                                       | <ul> <li>Consolidated package size: 10 x 54.5 x 2 in (253 x 1386 x 51 mm)</li> </ul>  |
|                                       | Weight: 11 lb (5 kg)  |
|                                       | Shipping weight: 13.2 lb (6 kg)   |
|                                       | Cisco Webex Board and the selected mounting option will be shipped in a consolidation pack on a pallet. The dimensions above describe each of the individual boxes within the consolidation packaging.  |
| Power                                 | Autosensing power supply  |
|                                       | • 100 to 240 VAC, 50 to 60 Hz   |
|                                       | Power consumption:  |
|                                       | ◦ Sleep: 45W  |
|                                       | <ul> <li>Idle or in-use: 185W</li> </ul>  |
| System management                     | Cisco Webex Board is managed in the administrator portal in Cisco Webex, giving system status and overview, activation, configuration, metrics, and troubleshooting.  |
| Operating temperature and<br>humidity | 0° to 35°C (32° to 95°F) at relative humidity 10% to 90% (noncondensing)  |
| Approvals and compliance              | Directive 2014/35/EU (Low-Voltage Directive)  |
|                                       | • Directive 2014/30/EU (EMC Directive) – Class A  |
|                                       | Directive 2014/53/EU (Radio Equipment Directive)  |
|                                       | Directive 2011/65/EU (RoHS)   |
|                                       | • Directive 2002/96/EC (WEEE)   |
|                                       | NRTL approved (Product Safety)  |
|                                       | • FCC CFR 47 Part 15B (EMC) – Class A   |
|                                       | • FCC Listed (Radio Equipment)  |
|                                       | Please check product approval status database https://www.ciscofax.com/ for approval documents per country.   |
| System requirements                   | <ul> <li>Cisco Webex Board is connected to the Cisco Webex in the cloud service using RESTful APIs.</li> <li>Communication with other Webex Boards, Webex Teams apps, or other third-party solutions is provided through the Cisco Webex in the cloud.</li> </ul> |
|                                       | Communication with the Cisco Collaboration Cloud uses the H.264 codec for video and the OPUS codec for audio.   |
|                                       | <ul> <li>Real-time media (voice, video, and screen sharing) is encrypted using the Secure Real-Time Transport<br/>Protocol (SRTP); end-to-end encryption uses Advanced Encryption Standard (AES) 128, AES 256, SHA1,<br/>SHA256, and RSA.</li> </ul>              |
| Den deridtle er meinemente            |   |
| Bandwidth requirements                | Minimum bandwidth:  |
|                                       | • 720p30 from 768 Kbps  |
|                                       | 1080p30 from 1.72 Mbps Maximum bandwidth:   |
|                                       |   |
|                                       | Transmit: 4.3 Mbps     Pageive: 10 Mbps   |
|                                       | Receive: 10 Mbps  |
| Video inputs                          | 1 HDMI for local presentation or sharing in meetings  |
|                                       | Supports formats up to maximum 4K (3840 x 2160)   |
|                                       | Frame rate of 60 fps for up to 1080p and 30 fps for 2160p   |
|                                       | Extended Display Identification Data (EDID)   |

| Туре   | Specifications  |
|--|---|
| Presentation capabilities  | <ul> <li>Local presentation up to 4K</li> <li>Audio over HDMI</li> </ul>  |
| Live video resolutions<br>(encode/decode) – main video<br>and presentation sharing | Main video:<br>• Up to 1920 x 1080@30 (HD1080p)<br>Presentation sharing:<br>• Up to 1920 x 1080@30 (HD1080p)  |
| Audio features   | <ul> <li>High-quality 20-kHz audio</li> <li>Acoustic echo cancellation</li> <li>Automatic Gain Control (AGC)</li> <li>Automatic noise reduction</li> <li>Active lip synchronization</li> <li>Microphone array with intelligent voice tracking capabilities</li> </ul> |

# **Ordering Information**

The Cisco Webex Board requires activation and connection with Cisco Webex service. Without an active subscription, it can be used only for local presentations using HDMI.

### **Cisco Webex Board**

| Product Name   | Product Number                      | Compliance Model<br>Number |
|--|-------------------------------------|----------------------------|
| Cisco Webex Board 55: Subscription pricing (MSRP <sup>*</sup> for cloud registration)<br>Cisco Webex Board 55: Upfront pricing (GPL <sup>**</sup> )                                | SPARK-BOARD55-K9<br>CS-BOARD55-K9   | AA55WW                     |
| Cisco Webex Board 55 – Floor Stand (New Design): Subscription pricing (MSRP <sup>•</sup> )<br>Cisco Webex Board 55 – Floor Stand (New Design): Upfront pricing (GPL <sup>•</sup> ) | SPARK-BOARD55-FS<br>CS-BOARD55-FS   |                            |
| Cisco Webex Board 55 – Wall Stand (New Design): Subscription pricing (MSRP*)<br>Cisco Webex Board 55 – Wall Stand (New Design): Upfront pricing (GPL <sup>¨</sup> )                | SPARK-BOARD55-WS<br>CS-BOARD55-WS   |                            |
| Cisco Webex Board 55 – Wall Mount Kit: Subscription pricing (MSRP <sup>°</sup> )<br>Cisco Webex Board 55 – Wall Mount Kit: Upfront pricing (GPL <sup>°°</sup> )                    | SPARK-BOARD55-WMK<br>CS-BOARD55-WMK |                            |

MSRP = Manufacturer's Suggested Retail Price GPL = Global Price List

### **Cisco Webex Board Spares**

| Product Name   | Product Number                        | Compliance Model<br>Number |
|--|---------------------------------------|----------------------------|
| Cisco Webex Board 55 – spare: MSRP*<br>Cisco Webex Board 55 – spare: GPL**   | SPARK-BOARD55=<br>CS-BOARD55=         | AA55WW                     |
| Cisco Webex Board 55 – Floor Stand (New Design) – spare: MSRP*<br>Cisco Webex Board 55 – Floor Stand (New Design) – spare: GPL** | SPARK-BOARD55-FS=<br>CS-BOARD55-FS=   |                            |
| Cisco Webex Board 55 – Wall Stand (New Design) – spare: MSRP*<br>Cisco Webex Board 55 – Wall Stand (New Design) – spare: GPL**   | SPARK-BOARD55-WS=<br>CS-BOARD55-WS=   |                            |
| Cisco Webex Board 55 – Wall Mount Kit – spare: MSRP*<br>Cisco Webex Board 55 – Wall Mount Kit – spare: GPL**                     | SPARK-BOARD55-WMK=<br>CS-BOARD55-WMK= |                            |
| Cisco Webex Board Pens 3x SPARE  | SPARK-BOARD-PEN3X=                    |                            |

### **Cisco Webex Board Subscription**

| Product Name                         | Product Number  |
|--------------------------------------|-----------------|
| Cisco Webex Board subscription: MSRP | A-SPK-SH-ND-BRD |
| Cisco Webex Board Subscription: GPL  | A-SPK-SH-ND-SR  |

# Warranty Information

The Cisco Webex Board 55 has a 90-day limited liability warranty.

# Cisco Service and Support

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full business value of your Cisco collaboration investment by increasing business agility and network availability. This portfolio of services accelerates business innovation by harnessing the network as a powerful business platform. For more information about these services, please visit: https://www.cisco.com/go/collaborationservices.

# **Cisco** Capital

# **Financing to Help You Achieve Your Objectives**

Cisco Capital<sup>®</sup> can help you acquire the technology you need to achieve your objectives and stay competitive. We can help you reduce CapEx. Accelerate your growth. Optimize your investment dollars and ROI. Cisco Capital financing gives you flexibility in acquiring hardware, software, services, and complementary third-party equipment. And there's just one predictable payment. Cisco Capital is available in more than 100 countries. Learn more.

# Call to Action

• Download the Cisco Webex Teams app today.

# ılıılı cısco

Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA

C78-738316-12 07/18

Page 7 of 7



 $\textcircled{\sc 0}$  2018 Cisco and/or its affiliates. All rights reserved. This document is Cisco Public Information.



Planet Communications Asia PLC. 157 Soi Ramindra 34, Ramindra Rd., Tarang, Bangkhen, Bangkok 10230 Tel: +66 2 792 2400 | Fax: +66 2 792 2499, +66 2 943 5771 | E-mail: sales@planetcomm.com

PlanetComm: 🖪 🕑

# ılıılı cısco

# **Cisco Webex Board**

# Cisco Webex Board 70

The Cisco Webex<sup>™</sup> Board is an all-in-one device that provides everything you need to collaborate with your teams in physical meeting rooms. You can wirelessly present, white board, and have video and audio calls. And it securely connects to your virtual teams through the Cisco Webex service, via your Cisco Webex Teams app, so you can take your meetings and content on the road.

Figure 1. White Boarding Capability on the Cisco Webex Board 70



# **Cisco Webex Board Product Overview**

The Cisco Webex Board revolutionizes the way we work by combining key requirements for team collaboration in the physical meeting room into a single device and connects it to the cloud for continuous workflow. It's a wireless presentation screen, a digital whiteboard, and an audio and video conferencing system, all in one. The Webex Board helps teams collaborate in physical meeting rooms, but also securely connects to virtual meeting spaces to facilitate continuous workflow before, during, and after everyone has left the physical conference room. The Cisco Webex Board draws its power from the Cisco Webex service, which combines meeting, messaging, calling, and new white boarding capabilities on any Cisco Webex Teams app. Registration to Cisco Webex Teams space, so you can take your work wherever you go. The Webex Board solution offers an integrated, secure, and comprehensive lifecycle approach to teamwork that is as yet unimagined, and thus unmatched, by any other solution on the market.

The Cisco Webex Board 70 is a fully self-contained system on a high-resolution 4K 70-inch LED screen. With an integrated 4K camera, embedded microphones, and a capacitive touch interface, the board brings intelligence, style, and usability to meeting rooms, from small to large. Designed with minimal wires for simplicity and elegance, Cisco's latest collaboration device allows wireless sharing and Wi-Fi connectivity. The system is also touch-based for easy and rich team collaboration. Not only is the Webex Board beautiful to behold and effortless to use, it is also affordable to acquire and easy to install and deploy, so that it can be a fixture in all of your conference rooms.

The Cisco Webex Board is the latest addition to the portfolio of Cisco video and audio conferencing devices that register to Cisco Webex including the Cisco  $\underline{MX}$  and  $\underline{SX}$  Series, the Cisco Webex  $\underline{DX}$ 80, the Cisco IP Phone  $\underline{7800}$  and  $\underline{8800}$  Series, and the <u>Cisco Webex Room Series</u>.

Figure 2. Video Conferencing on the Cisco Webex Board



# **Cisco Webex Board Features and Benefits**

| Feature                  | Benefit   |  |
|--------------------------|---|--|
| Wireless presentation    | • No wires required to share a presentation, locally or remotely, from a laptop (HDMI available)  |  |
| Digital whiteboard       | <ul> <li>Easily white board with the Cisco Webex Pen or your finger on the Cisco Webex Board and automatically save content to a Cisco Webex Teams space</li> <li>Connects to white-boarding capability in the Cisco Webex Teams app</li> <li>Annotate on screen share</li> </ul>   |  |
| Audio/video conferencing | <ul> <li>High-quality video conferencing (Cisco Webex and Session Initiation Protocol [SIP])</li> <li>High-fidelity audio conferencing</li> </ul>   |  |
| Industrial design        | <ul> <li>Discreet built-in 4K camera is unintimidating, to help users feel comfortable when close to the screen</li> <li>Built-in microphones and wireless sharing add to the clean, no-wire aesthetics</li> <li>Fixed-lens camera uses an 86-degree-wide field of view to capture virtually the entire room</li> <li>High-resolution 4K screen shows detailed content beautifully</li> </ul> |  |
| Usability                | <ul> <li>Easy-to-understand activity circles correspond to the basic activities and workflows that users need to get their work done</li> <li>Intuitive navigation, such as a home button and touchscreen, is a staple of mobile devices and familiar to users</li> </ul>   |  |
|                          | <ul> <li>Consistent user interface and workflow across the Webex Board and Webex Teams app reduce the user's<br/>learning curve</li> </ul>  |  |
|                          | <ul> <li>Familiar capacitive touch capability is the same as on smartphones and tablets, and allows for two-point multi-touch, which lets two people work on the board at the same time</li> </ul>  |  |

| Feature               | Benefit   |
|-----------------------|---|
| Continuous workflow   | Cloud registration lets everything created on the Webex Board be stored directly and securely in the cloud     and associated to a virtual Webex Teams space  |
|                       | • Team members can pick up wherever they left off on the Webex Board when they leave the physical room; work can continue from a different location, time zone, or device, such as another Webex Board, a Webex DX80, or the Cisco Webex Teams app on smartphones, tablets, and laptops |
|                       | <ul> <li>Cisco Webex Board and the Cisco Webex Teams app together provide end-to-end encryption, so your<br/>communications and content are secure</li> </ul>   |
| Intelligent views     | Powerful 4K camera captures high-resolution image of virtually the entire room  |
|                       | <ul> <li>Intelligent software algorithms enable automatic framing for best overview, which provides ideal framing to<br/>the far end</li> </ul>   |
| Intelligent audio     | <ul> <li>Built-in 12-microphone array amplifies sound quality – as if a microphone has been extended to each<br/>speaker</li> </ul>   |
|                       | <ul> <li>Automatically modulates the active speaker so that clear audio is delivered to the far end, whether the<br/>speaker is close to or far away from the Webex Board</li> </ul>  |
|                       | No microphone wires to detract from the aesthetics of the Webex Board   |
|                       | <ul> <li>Powerful microphones cover a room with 8 to 10 people</li> </ul>   |
| Intelligent Proximity | Cisco Webex Proximity and ultrasound pairing technology enable the following:   |
|                       | <ul> <li>Cisco Webex Board automatically wakes up when it detects a Cisco Webex Teams app user enter the<br/>room and suggests an activity to choose from</li> </ul>  |
|                       | <ul> <li>Wireless sharing of documents from a laptop is enabled both within and outside of a conference call;<br/>connect seamlessly to personal and mobile devices using ultrasound (no need for dongles, adapters, typing<br/>in PINs, etc.)</li> </ul>                               |
|                       | <ul> <li>Basic endpoint control of the Webex Board can be done through a Webex Teams app (make and<br/>disconnect calls, etc.)</li> </ul>   |

# **Cisco Webex Board Prominent Features/Differentiators**

# The Power of Cisco Webex Enables Continuous Teamwork

The Cisco Webex Board is revolutionary in its capability, usability, and design, but the ability to connect teams beyond the physical meeting room is thanks to the power of Cisco Webex. The consistency, simplicity, and reliability of experience across the Webex Board and the Webex Teams app is made possible by these key features of Cisco Webex:

- Cloud based: The Cisco Webex Board is registered and delivered simply and securely with end-to-end encryption through Cisco Webex and offered on a subscription basis, so you can add or update services automatically or on demand.
- App based: Once they are shared or created on the Cisco Webex Board and associated with a Cisco Webex Teams virtual space, content and messages live persistently and can be accessed from any mobile device – laptop, smartphone, tablet – on the Webex Teams app from wherever you are. This means work and knowledge can be transferred seamlessly from one team member to the next, from one time zone to another.
- Activity based: The capabilities you enjoy on the Webex Board meeting, calling, messaging, and white boarding are the same capabilities you will experience on the Webex Teams app. So, you can start your work on the Webex Board and continue on your personal and mobile devices, or vice versa.

# **Cisco Webex Board Platform Support**

| Product Family    | Platforms Supported  |
|-------------------|--|
| Cisco Webex Board | Requires activation and connection to Cisco Webex in the cloud |

# Cisco Webex Board Subscription

| License Level                            | Term   |
|--|--|
| Cisco Webex Board Device<br>Subscription | Monthly or 1-, 2-, 3-, 4-, or 5-year options |

# Cisco Webex Board 70 Product Specifications

| Туре                               | Specifications   |
|------------------------------------|--|
| Software                           | Cisco Webex Board OS, provisioned by Cisco Webex   |
| Components                         | Fully integrated unit is delivered with:<br>Multi-touch 70-inch LED display<br>4K camera<br>12-microphone array<br>Speakers<br>White boarding pen  |
| Display                            | <ul> <li>Edge LED LCD – 70-inch 4K, 300 nits, 16:9</li> <li>Viewing angle: +- 88 degrees (all directions)</li> <li>Number of colors: 1.07 billion (10 bit)</li> <li>Contrast: 1:4000</li> <li>Response time: 6 ms</li> </ul>   |
| User interface                     | <ul><li>Capacitive touch</li><li>Protective glass with optical bonding</li><li>Multi-touch</li></ul>   |
| Inputs and outputs                 | <ul> <li>HDMI input</li> <li>Home button</li> <li>3.5-mm mini jack audio out (line out)</li> <li>One USB 3.0 (for serviceability)</li> </ul>   |
| Camera overview                    | <ul> <li>Fixed lens, infinite focus</li> <li>F-value: 2.8</li> <li>4Kp60</li> <li>Horizontal Field Of View (HFOV): 83 degrees</li> <li>Vertical Field Of View (VFOV): 55 degrees</li> <li>Camera mounted tilted: -25 degrees</li> </ul>  |
| Audio system                       | <ul> <li>12-element microphone array (with intelligent voice tracking)</li> <li>Integrated voice-optimized speakers</li> </ul>   |
| Network                            | <ul> <li>Ethernet (RJ-45) 100/1000 Mbps</li> <li>Wi-Fi 802.11a/b/g/n; 802.11ac (2.4 and 5 GHz)</li> <li>Bluetooth ready</li> <li>IPv4 Dynamic Host Configuration Protocol (DHCP)/static</li> <li>Network Time Protocol (NTP)</li> <li>HTTP Proxy support (for signaling, not media)</li> </ul> |
| User controls                      | Control Cisco Webex Board directly from the touchscreen or using the Cisco Webex Teams app.  |
| Language support                   | <ul> <li>English, Spanish, German, French, French Canadian, Portuguese, Japanese, Czech, Danish, Dutch, Norwegian, Swedish, Latin American Spanish, Italian, Finnish, Polish, Turkish</li> <li>Additional languages to be supported in future software release</li> </ul>                      |
| Physical dimensions<br>(H x W x D) | • 40.7 x 64.1 x 2.4 in (1034 x 1627 x 61 mm)   |
| Weight                             | • 141.8 lb (64.3 kg)   |

| Туре  | Specifications   |
|---|--|
| Physical dimensions and<br>weight of packaging<br>(H x W x D) | <ul> <li>Main unit <ul> <li>Consolidated package size: 47.5 x 73.8 x 9.6 in (1207 x 1875 x 245 mm)</li> <li>Weight: 141.8 lb (64.3 kg)</li> <li>Shipping weight (including packaging): 159.4 lb (72.3 kg)</li> </ul> </li> <li>Wall mount <ul> <li>Consolidated package size: 10.1 x 66 x 3.6 in (256 x 1675 x 92 mm)</li> <li>Weight: 13.2 lb (6 kg)</li> <li>Shipping weight: 15.4 lb (7 kg)</li> </ul> </li> <li>Floor stand <ul> <li>Consolidated package size: 60 x 47 x 6.7 in (1524 x 1186 x 172 mm)</li> <li>Weight: 33 lb (15 kg)</li> <li>Shipping weight: 37.5 lb (17 kg)</li> </ul> </li> <li>Wall Stand <ul> <li>Consolidated package size: 64.7 x 45.8 x 4.6 in (1643 x 1164 x 116 mm)</li> <li>Weight: 28.7 lb (13 kg)</li> <li>Shipping weight: 39.7 lb (18 kg)</li> </ul> </li> <li>Cisco Webex Board and the selected mounting option will be shipped in a consolidation pack on a pallet. The dimensions above describe each of the individual boxes within the consolidation packaging.</li> </ul> |
| Power   | <ul> <li>Autosensing power supply</li> <li>100 to 240 VAC, 50 to 60 Hz</li> <li>Power consumption: <ul> <li>Sleep: 55W</li> <li>Idle or in-use: 240W</li> </ul> </li> </ul>  |
| System management   | Cisco Webex Board is managed in the administrator portal in Cisco Webex, giving system status and overview, activation, configuration, metrics, and troubleshooting.   |
| Operating temperature and<br>humidity                         | • 0° to 35°C (32° to 95°F) at relative humidity 10% to 90% (noncondensing)   |
| Approvals and compliance                                      | <ul> <li>Directive 2014/35/EU (Low-Voltage Directive)</li> <li>Directive 2014/30/EU (EMC Directive) – Class A</li> <li>Directive 2014/53/EU (Radio Equipment Directive)</li> <li>Directive 2011/65/EU (RoHS)</li> <li>Directive 2002/96/EC (WEEE)</li> <li>NRTL approved (Product Safety)</li> <li>FCC CFR 47 Part 15B (EMC) – Class A</li> <li>FCC Listed (Radio Equipment)</li> <li>Please check product approval status database <a href="https://www.ciscofax.com">https://www.ciscofax.com</a> for approval documents per country.</li> </ul>   |
| System requirements   | <ul> <li>Cisco Webex Board is connected to Cisco Webex using RESTful APIs. Communication with other Webex Boards, Webex Teams apps, or other third-party solutions is provided through Cisco Webex platform</li> <li>Communication with Cisco Webex uses the H.264 codec for video and the OPUS codec for audio</li> <li>Real-time media (voice, video, and screen sharing) is encrypted using the Secure Real-Time Transport Protocol (SRTP); end-to-end encryption uses Advanced Encryption Standard (AES) 128, AES 256, SHA1, SHA256, and RSA</li> </ul>  |
| Bandwidth requirements  | Minimum bandwidth:<br>• 720p30 from 768 Kbps<br>• 1080p30 from 1.72 Mbps<br>Maximum bandwidth:<br>• Transmit: 4.3 Mbps<br>• Receive: 10 Mbps   |
| Video inputs  | 1 HDMI for local presentation or sharing in meetings<br>Supports formats up to maximum 4K (3840 x 2160)<br>Frame rate of 60 fps for up to 1080p and 30 fps for 2160p<br>Extended Display Identification Data (EDID)  |
| Presentation capabilities                                     | <ul> <li>Local presentation up to 4K</li> <li>Audio over HDMI</li> </ul>   |

| Туре                                      | Specifications  |
|---|---|
| Live video resolutions<br>(encode/decode) | Main video:   |
| (encode/decode)                           | • Up to 1920 x 1080@30 (HD1080p)  |
|   | Presentation sharing:   |
|   | • Up to 1920 x 1080@30 (HD1080p)  |
| Audio features                            | • High-quality 20-kHz audio   |
|   | Acoustic echo cancellation  |
|   | Automatic Gain Control (AGC)  |
|   | Automatic noise reduction   |
|   | Active lip synchronization  |
|   | <ul> <li>Microphone array with intelligent voice tracking capabilities</li> </ul> |

# **Ordering Information**

The Cisco Webex Board requires activation and connection with Cisco Webex service. Without an active subscription, it can be used only for local presentations using HDMI.

#### **Cisco Webex Board**

| Product Name  | Product Number                      | Compliance Model<br>Number |
|---|-------------------------------------|----------------------------|
| Cisco Webex Board 70: Subscription pricing (MSRP <sup>*</sup> for cloud registration)<br>Cisco Webex Board 70: Upfront pricing (GPL <sup>**</sup> )             | SPARK-BOARD70-K9<br>CS-BOARD70-K9   | AA70WW                     |
| Cisco Webex Board 70 – Floor Stand: Subscription pricing (MSRP <sup>*</sup> )<br>Cisco Webex Board 70 – Floor Stand: Upfront pricing (GPL <sup>**</sup> )       | SPARK-BOARD70-FS<br>CS-BOARD70-FS   |                            |
| Cisco Webex Board 70 – Wall Stand: Subscription pricing (MSRP <sup>'</sup> )<br>Cisco Webex Board 70 – Wall Stand: Upfront pricing (GPL <sup>''</sup> )         | SPARK-BOARD70-WS<br>CS-BOARD70-WS   |                            |
| Cisco Webex Board 70 – Wall Mount Kit: Subscription pricing (MSRP <sup>*</sup> )<br>Cisco Webex Board 70 – Wall Mount Kit: Upfront pricing (GPL <sup>**</sup> ) | SPARK-BOARD70-WMK<br>CS-BOARD70-WMK |                            |

MSRP = Manufacturer's Suggested Retail Price

"GPL = Global Price List

### **Cisco Webex Board Spares**

| Product Name   | Product Number                        | Compliance Model<br>Number |
|--|---------------------------------------|----------------------------|
| Cisco Webex Board 70 – spare: MSRP <sup>°</sup><br>Cisco Webex Board 70 – spare: GPL <sup>°°</sup>                             | SPARK-BOARD70=<br>CS-BOARD70=         | AA70WW                     |
| Cisco Webex Board 70 – Floor Stand – spare: MSRP <sup>°</sup><br>Cisco Webex Board 70 – Floor Stand – spare: GPL <sup>°°</sup> | SPARK-BOARD70-FS=<br>CS-BOARD70-FS=   |                            |
| Cisco Webex Board 70 – Wall Stand – spare: MSRP <sup>*</sup><br>Cisco Webex Board 70 – Wall Stand – spare: GPL <sup>**</sup>   | SPARK-BOARD70-WS=<br>CS-BOARD70-WS=   |                            |
| Cisco Webex Board 70 – Wall Mount Kit – spare: MSRP<br>Cisco Webex Board 70 – Wall Mount Kit – spare: GPL                      | SPARK-BOARD70-WMK=<br>CS-BOARD70-WMK= |                            |
| Cisco Webex Board Pens 3x SPARE  | SPARK-BOARD-PEN3X=                    |                            |

# **Cisco Webex Board Subscription**

| Product Name                         | Product Number  |
|--------------------------------------|-----------------|
| Cisco Webex Board Subscription: MSRP | A-SPK-SH-ND-BRD |
| Cisco Webex Board Subscription: GPL  | A-SPK-SH-ND-SR  |

# Warranty Information

The Cisco Webex Board 70 has a 90-day limited liability warranty.

# Cisco Service and Support

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full business value of your Cisco collaboration investment by increasing business agility and network availability. This portfolio of services accelerates business innovation by harnessing the network as a powerful business platform. For more information about these services, please visit: https://www.cisco.com/go/collaborationservices.

# **Cisco** Capital

### **Financing to Help You Achieve Your Objectives**

Cisco Capital<sup>®</sup> can help you acquire the technology you need to achieve your objectives and stay competitive. We can help you reduce CapEx. Accelerate your growth. Optimize your investment dollars and ROI. Cisco Capital financing gives you flexibility in acquiring hardware, software, services, and complementary third-party equipment. And there's just one predictable payment. Cisco Capital is available in more than 100 countries. Learn more.

# Call to Action

• Download the Cisco Webex Teams app today.



Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA

C78-738851-08 07/18

© 2018 Cisco and/or its affiliates. All rights reserved. This document is Cisco Public Information.



Planet Communications Asia PLC.

157 Soi Ramindra 34, Ramindra Rd., Tarang, Bangkhen, Bangkok 10230 Tel: +66 2 792 2400 | Fax: +66 2 792 2499, +66 2 943 5771 | E-mail: sales@planetcomm.com Page 7 of 7

